

Interview Questions Answers

https://interviewquestionsanswers.org/

About Interview Questions Answers

Interview Questions Answers. ORG is an interview preparation guide of thousands of Job Interview Questions And Answers, Job Interviews are always stressful even for job seekers who have gone on countless interviews. The best way to reduce the stress is to be prepared for your job interview. Take the time to review the standard interview questions you will most likely be asked. These interview questions and answers on Team Leader Android Developer will help you strengthen your technical skills, prepare for the interviews and quickly revise the concepts.

If you find any **question or answer** is incorrect or incomplete then you can **submit your question or answer** directly with out any registration or login at our website. You just need to visit <u>Team Leader Android Developer Interview Questions And Answers</u> to add your answer click on the *Submit Your Answer* links on the website; with each question to post your answer, if you want to ask any question then you will have a link *Submit Your Question*; that's will add your question in Team Leader Android Developer category. To ensure quality, each submission is checked by our team, before it becomes live. This <u>Team Leader Android Developer Interview preparation PDF</u> was generated at **Wednesday 29th November, 2023**

You can follow us on FaceBook for latest Jobs, Updates and other interviews material. www.facebook.com/InterviewQuestionsAnswers.Org

Follow us on Twitter for latest Jobs and interview preparation guides. https://twitter.com/InterviewQA

If you need any further assistance or have queries regarding this document or its material or any of other inquiry, please do not hesitate to contact us.

Best Of Luck.

Interview Questions Answers.ORG Team https://InterviewQuestionsAnswers.ORG/ Support@InterviewQuestionsAnswers.ORG



Question - 1:

Explain me what is an implicit Intent?

Ans:

Implicit Intent doesn't specifiy the component. In such case, intent provides information of available components provided by the system that is to be invoked.

<u>View All Answers</u>

Question - 2:

Explain me what is a Sticky Intent in android?

Ans:

Sticky Intent is also a type of intent which allows the communication between a function and a service for example,sendStickyBroadcast() is perform the operations after completion of intent also.

View All Answers

Question - 3:

Explain me how can ANR be prevented?

Ans:

One technique that prevents the Android system from concluding a code that has been responsive for a long period of time is to create a child thread. Within the child thread, most of the actual tasks of the codes can be placed, so that the main thread runs with minimal periods of unresponsive time.

View All Answers

Question - 4:

Please explain what is a content provider in android?

Ans:

A content provider component supplies data from one application to others on request. Such requests are handled by the methods of the ContentResolver class. A content provider can use different ways to store its data and the data can be stored in a database, in files, or even over a network.

View All Answers

Question - 5:

Tell us is it okay to change the name of an application after its deployment?

Ans

It is not recommended to change the application name after its deployment because this action may break some functionality. For example, shortcuts will not work if you change application name.

View All Answers

Question - 6:

Tell me why can't you run java byte code on Android?

Ans

Android uses DVM (Dalvik Virtual Machine) rather using JVM(Java Virtual Machine), if we want, we can get access to .jar file as a library.

View All Answers

Question - 7:

Please explain what is sleep mode in android?



Ans:

Sleep mode mean CPU will be sleeping and it doesn't accept any commands from android device except Radio interface layer and alarm.

View All Answers

Question - 8:

Tell me what does the intent filter do in android?

Ans:

Intent filters are filter out the intents.

View All Answers

Question - 9:

Explain what is an ANR notification in Android?

Δns·

ANR is short for Application Not Responding. Android systems show this dialog if the application is performing too much of task on the main thread and has been unresponsive from a long time.

View All Answers

Question - 10:

Explain me what are the different storage methods in Android?

Anc.

Android offers several different options for data persistence. Shared Preferences - Store private primitive data in key-value pairs. This sometimes gets limited as it offers only key-value pairs. You cannot save your own java types. Internal Storage - Store private data on the device memory.

View All Answers

Question - 11:

Do you know what is An Activity?

Ans:

Activity performs actions on the screen. If you want to do any operations, we can do with activity

View All Answers

Question - 12:

Tell us what are the exceptions available in android?

Ans:

Inflate Exception, Surface. Out Of Resource Exception, Surface Holder. Bad Surface Type Exception, and Window Manager. Bad Token Exception and Window Manager. Bad T

View All Answers

Question - 13:

How to deploy executable JARs on Android? Which packaging is supported by Android?

Ans:

No, Android platform does not support JAR deployments. Applications are packed into Android Package (.apk) using Android Asset Packaging Tool (AAPT) and then deployed onto Android platform. Google provides Android Development Tools for Eclipse that can be used to generate Android Package.

View All Answers

Question - 14:

Tell me which kernal is used in android?

Ans:

Android is customized Linux 3.6 kernel.

View All Answers

Question - 15:

Do you know what is viewGroup in android?

Ans

View group is a collection of views and other child views, it is an invisible part and the base class for layouts.

View All Answers

Question - 16:

Tell me what is the APK format?

Ans:

The Android packaging key is compressed with classes, UI's, supportive assets and manifest. All files are compressed to a single file is called APK.

View All Answers



Question - 17:

Tell me how many dialog boxes do support in android?

Ans:

AlertDialog, ProgressDialog, DatePickerDialog, and TimePickerDialog

View All Answers

Question - 18:

Tell me how to update UI from a service in android?

Ans:

Use a dynamic broadcast receiver in the activity, and send a broadcast from the service. Once the dynamic receiver is triggered update UI from that receiver.

View All Answers

Question - 19:

Explain me the resource that is a compiled visual resource and can be used as a background, title, or in other part of the screen?

Ans:

Drawable is the virtual resource that can be used as a background, title, or in other parts of the screen. It is compiled into an android graphics drawable subclass. A Drawable resource is a general concept for a graphic which can be drawn. The simplest case is a graphical file (bitmap), which would be represented in Android via a BitmapDrawable class.

The Drawable is stored as individual files in one of the res/drawable folders. The ADT project creation wizard creates these folders by default. You would store bitmaps for different resolutions in the -mdpi, -hdpi, -xhdpi subfolders of res/drawable If these bitmaps are provided in a different folder, the Android system selects the correct one automatically based on the device configuration.

View All Answers

Question - 20:

Tell me what are the notifications available in android?

Ans:

Toast Notification - It will show a pop up message on the surface of the window Status Bar Notification - It will show notifications on status bar Dialogue Notification - It is an activity related notification.

View All Answers

Question - 21:

Tell me how to change application name after its deployment?

Ans:

It's not truly recommended to change application name after it's deployment, if we change, it will impact on all other internal components.

View All Answers

Question - 22:

Tell me what folders are impotent in android project?

Ans:

- * AndroidManifest.xml
- * build.xml
- * bin/
- * src/ * res/
- * assets/

View All Answers

Question - 23:

Tell us what language does android support to develop an application?

Ans

Android applications has written using the java(Android SDK) and C/C++(Android NDK).

View All Answers

Question - 24:

Tell me what is action in Android?

Ans:

In Android, the action is a description of something that an intent sender desires.

SYNTAX:

CONTAINED IN:

DESCRIPTION:

Adds an action to an intent filter. An element must contain one or more elements. If it doesn't contain any, no Intent objects will get through the filter.

View All Answers



Question - 25:

Tell me what is ADB in android?

Ans:

It is acts as bridge between emulator and IDE, it executes remote shell commands to run applications on an emulator

View All Answers

Question - 26:

Tell me how to Translate in Android?

Ans:

Android uses Google translator to translate data from one language into another language and placed as a string while development

View All Answers

Question - 27:

Please explain what are application Widgets in android?

Ane:

App Widgets are miniature application views that can embedded in other applications (such as the Home screen) and receive periodic updates. These views has referred to as Widgets in the user interface, and you can publish one with an App Widget provider.

View All Answers

Question - 28:

Can you define the application resource file in android?

Ans:

JSON,XML bitmap.etc are application resources. You can injected these files to build process and can load them from the code.

View All Answers

Question - 29:

Tell us what is nine-patch images tool in android?

Ans:

We can change bitmap images in nine sections as four corners, four edges and an axis

View All Answers

Question - 30:

Please explain what are the tools are placed in An Android SDK?

Ans:

Android SDK collaborated with Android Emulator, DDMS(Dalvik Debug Monitoring Services), AAPT(Android Asset Packaging tool) and ADB(Android debug bridge)

View All Answers

Question - 31:

Explain me enumerate three key loops when monitoring an activity?

Ans:

- Entire lifetime activity happens between onCreate and onDestroy
- Visible lifetime activity happens between onStart and onStop
- Foreground lifetime activity happens between onResume and onPause

View All Answers

Question - 32:

Explain me what is the difference between a regular .png and a nine-patch image?

Ans:

It is a resizable bitmap resource that can be used for backgrounds or other images on the device. NinePatch class permits drawing a bitmap in nine sections. The nine patch images have extension as.9.png. It allows extension in 9 ways, i.e. 4 corners that are unscaled, 4 edges that are scaled in 1 axis, and the middle one that can be scaled into both axes.

View All Answers

Question - 33:

Tell me how do you find any view element into your program?

Ans:

Using with findViewById we can find view element.

View All Answers

Question - 34:



Tell me what is fragment in android?

Ans

Fragment is a piece of activity, if you want to do turn your application 360 degrees, you can do this by fragment.

View All Answers

Question - 35:

Do you know where layouts are placed in android?

Ans-

In The Layout folder, layouts are placed as XML files

View All Answers

Question - 36:

Tell me what is an explicit Intent?

Ans:

Android Explicit intent specifies the component to be invoked from activity. In other words, we can call another activity in android by explicit intent.

View All Answers

Question - 37:

Do you know what is ADB?

Ans:

ADB stands for Android Debug Bridge. It is a command line tool that is used to communicate with the emulator instance. ADB can control your device over USB from a computer, copy files back and forth, install and uninstall apps, run shell commands, and more. It is a client-server program that includes three components:

- A client, which runs on your development machine. You can invoke a client from a shell by issuing an ADB command. Other Android tools such as DDMS also create ADB clients.
- A server, which runs as a background process on your development machine. The server manages communication between the client and the ADB daemon running on an emulator or device.
- A daemon, which runs as a background process on each emulator or device instance.

View All Answers

Question - 38:

Tell me which dialog boxes can you use in your Android application?

Ans:

- * AlertDialog: An alert dialogue box supports 0 to 3 buttons and a list of selectable elements.
- * ProgressDialog: An extension to AlertDialog and you may add buttons to it. It shows a progress wheel or a progress bar.
- * DatePickerDialog: It is used for selecting a date by the user.
- * TimePickerDialog : It is used for selecting time by the user.

View All Answers

Question - 39:

Explain me Android application Architecture?

Ans:

Android application architecture has the following components. They are as follows -

Services - It will perform background functionalities

Intent - It will perform the inter connection between activities and the data passing mechanism

Resource Externalization - strings and graphics

Notification - light, sound, icon, notification, dialog box, and toast

Content Providers - It will share the data between applications

View All Answers

Question - 40:

Tell us what do ADT stands for?

Ans

ADT stands for Android development tool, This is useful to develop the applications and test the applications.

View All Answers

Question - 41:

Tell me what is shared preferences in android?

Ans:

Shared preferences are the simplest mechanism to store the data in XML documents.

View All Answers

Question - 42:

Tell me what are the different storages available in android?



Ans:

Shared Preferences, Internal Storage, External Storage, SQLite Databases and Network Connection

View All Answers

Question - 43:

Please explain how does android track the application on process?

Ans:

Android provides a Unique ID to all applications is called as Linux ID, this ID is used to track each application.

View All Answers

Question - 44:

Tell me what are the type of flags to run an application in android?

Δns·

FLAG_ACTIVITY_NEW_TASK FLAG_ACTIVITY_CLEAR_TOP.

View All Answers

Question - 45:

Do you know how to launch an activity in android?

Ans:

Using with intent, we can launch an activity.

Intent intent = new Intent(this, MyTestActivity.class);

startActivity(intent);

View All Answers

Question - 46:

Tell me what is the order of dialog-box in android?

Ans:

- * Positive
- * Neutral
- * Negative

View All Answers

Question - 47:

Tell me what is an Adapter in android?

Ans:

The Adapter is used to create child views to represent the parent view items.

View All Answers

Question - 48:

Explain me what is Android?

Ans

Android is a stack of software for mobile devices which includes an Operating System, middleware and some key applications. The application executes within its own process and its own instance of Dalvik Virtual Machine.

View All Answers

Question - 49:

Tell me can Android application only be programmed in Java?

Ans:

No, it is not necessary. You can program Android apps can be created using NDK in C/C++. The NDK is a toolset that allows you to implement parts of your app using native-code languages such as C and C++. Typically, good use cases for the NDK are CPU-intensive applications such as game engines, signal processing, and physics simulation.

View All Answers

Question - 50:

Explain me what is singleton class in android?

Ans

A class which can create only an object, that object can be share able to all other classes.

View All Answers

Question - 51:

Do you know what is container in android?



Ans:

The container holds objects,

widgets,

labels,

fields,

icons,

buttons.

View All Answers

Question - 52:

Explain me what is ANR in android?

ANR stands for application is not responding, basically it is a dialog box that appears when the application is not responding.

View All Answers

Question - 53:

Tell me what is An android manifest file?

Every application must have an AndroidManifest.xml file (with precisely that name) in its root directory. The manifest file presents essential information about your app to the Android system, information the system must have before it can run any of the app's code.

View All Answers

Question - 54:

Tell me how will you pass data to sub-activities?

We can use Bundles to pass data to sub-activities. There are like HashMaps that and take trivial data types. These Bundles transport information from one Activity to another

Code

Bundle b=new Bundle();

b.putString("Email", "ggl@xyz.com");

i.putExtras(b); //where I is intent

View All Answers

Question - 55:

Please explain how can two Android applications share same Linux user ID and share same VM?

The applications must sign with the same certificate in order to share same Linux user ID and share same VM.

View All Answers

Question - 56:

Explain me what is the difference between an implicit intent and explicit intent?

There are two types of Intent implicit and explicit intent, let see some more difference between them.

Implicit: Implicit intent is when you call system default intent like send email, send SMS, dial number.

For example,

Intent sendIntent = new Intent();
sendIntent.setAction(Intent.ACTION_SEND);

sendIntent.putExtra(Intent.EXTRA_TEXT, textMessage);

sendIntent.setType("text/plain")

startactivity(sendIntent);

Explicit: Explicit intent when you call you're on application activity from one activity to another

For example, first activity to second activity:

Intent intent = new Intent(first.this, second.class);

startactivity(intent);

View All Answers

Question - 57:

Explain me why cannot you run standard Java bytecode on Android?

Android uses Dalvik Virtual Machine (DVM) which requires a special bytecode. First of all, we have to convert Java class files into Dalvik Executable files using an Android tool called "dx". In normal circumstances, developers will not be using this tool directly and build tools will care for the generation of DVM compatible

View All Answers

Question - 58:

Tell me what is drawable folder in android?



Ans:

A compiled visual resource that can used as a backgrounds, banners, icons, splash screen etc.

Question - 59:

Tell me how do you pass the data to sub-activities android?

Using with Bundle, we can pass the data to sub activities. Bundle bun = new Bundle();

bun.putString("EMAIL", "contact@tutorials.com");

View All Answers

Question - 60:

Tell me how is the use of web view in Android?

WebView is UI component that can display either remote web-pages or static HTML

View All Answers

Question - 61:

Tell us what are the key components in android architecture?

Ans:

- * Linux Kernel
- * Libraries
- * Android Framework
- * Android applications.

View All Answers

Question - 62:

Tell me what is a service in android?

The Service is like as an activity to do background functionalities without UI interaction.

View All Answers

Question - 63:

Tell me what is An Intent?

It is connected to either the external world of application or internal world of application, Such as, opening a pdf is an intent and connect to the web browser.etc.

View All Answers

Question - 64:

How to perform actions that are provided by other application e.g. sending email?

Intents are created to define an action that we want to perform and launches the appropriate activity from another application.

Intent intent = new Intent(Intent.ACTION_SEND); intent.putExtra(Intent.EXTRA_EMAIL, recipientArray); startActivity(intent);

View All Answers

Question - 65:

Tell us how do you find any view element into your program?

Findviewbyid: Finds a view that was identified by the id attribute from the XML processed in Activity. On Create (Bundle).

 $[\dot{A}ndroid.Runtime.Register("findViewById","(I)Landroid/view/View;", "GetFindViewById_IHandler")] \\$

public virtual View FindViewById (Int32 id)

View All Answers

Question - 66:

Tell me where can you define the icon for your Activity?

Ans:

The icon for an Activity is defined in the manifest file.

Code

<activity android:icon="@drawable/app_icon" android:name=".MyTestActivity"></activity> which means you have to Open AndroidManifest.xml.Right under the root "manifest" node of the XML, we can see the "application" node. We have added this



attribute to "application". (The "icon" in "@drawable/icon" refers to the file name of the icon.) android:icon="@drawable/icon"

View All Answers

Question - 67:

Tell us where will you declare your activity so the system can access it?

Activity is to be declared in the manifest file. For example:

- <manifest></manifest>
- * <application></application>
- pant"> * <activity android:name=".MyIntellipaat">

View All Answers

Computer Programming Most Popular & Related Interview Guides

- 1 : Python Interview Questions and Answers.
- 2: OOP Interview Questions and Answers.
- 3: Software engineering Interview Questions and Answers.
- 4: PHP Interview Questions and Answers.
- 5: VBA (Visual Basic for Applications) Interview Questions and Answers.
- 6: Visual Basic (VB) Interview Ouestions and Answers.
- 7: Node.js Interview Questions and Answers.
- 8: CMMI Interview Ouestions and Answers.
- 9: Microsoft Foundation Class (MFC) Interview Questions and Answers.
- 10: Lotus Notes Interview Questions and Answers.

Follow us on FaceBook www.facebook.com/InterviewQuestionsAnswers.Org

Follow us on Twitter https://twitter.com/InterviewQA

For any inquiry please do not hesitate to contact us.

Interview Questions Answers.ORG Team https://InterviewQuestionsAnswers.ORG/ support@InterviewQuestionsAnswers.ORG