

OOAD Job Interview Questions And Answers



Interview Questions Answers

<https://interviewquestionsanswers.org/>

About Interview Questions Answers

Interview Questions Answers . ORG is an interview preparation guide of thousands of Job Interview Questions And Answers, Job Interviews are always stressful even for job seekers who have gone on countless interviews. The best way to reduce the stress is to be prepared for your job interview. Take the time to review the standard interview questions you will most likely be asked. These interview questions and answers on OOAD will help you strengthen your technical skills, prepare for the interviews and quickly revise the concepts.

If you find any **question or answer** is incorrect or incomplete then you can **submit your question or answer** directly with out any registration or login at our website. You just need to visit [OOAD Interview Questions And Answers](#) to add your answer click on the *Submit Your Answer* links on the website; with each question to post your answer, if you want to ask any question then you will have a link *Submit Your Question*; that's will add your question in OOAD category. To ensure quality, each submission is checked by our team, before it becomes live. This [OOAD Interview preparation PDF](#) was generated at **Wednesday 29th November, 2023**

You can follow us on FaceBook for latest Jobs, Updates and other interviews material.
www.facebook.com/InterviewQuestionsAnswers.Org

Follow us on Twitter for latest Jobs and interview preparation guides.
<https://twitter.com/InterviewQA>

If you need any further assistance or have queries regarding this document or its material or any of other inquiry, please do not hesitate to contact us.

Best Of Luck.

Interview Questions Answers.ORG Team
<https://InterviewQuestionsAnswers.ORG/Support@InterviewQuestionsAnswers.ORG>



OOAD Interview Questions And Answers Guide.

Question - 1:

Which is not the attribute of an entity?

- a) behavior
- b) state
- c) time
- d) space

Ans:

- c) time

[View All Answers](#)

Question - 2:

A relationship between classes and interfaces can be viewed as _____ relationship.

- a) association
- b) generalization
- c) link
- d) realization

Ans:

- d) realization

[View All Answers](#)

Question - 3:

A link shows the relationship between _____.

- a) nodes
- b) classes
- c) interfaces
- d) objects

Ans:

- d) objects

[View All Answers](#)

Question - 4:

Interaction diagrams are:

- a) Sequence Diagram
- b) Collaboration Diagram
- c) both a and b
- d) none

Ans:

- c) both a and b

[View All Answers](#)

Question - 5:

There are generally _____ diagrams used in UML.

- a) seven
- b) eight
- c) nine
- d) ten

Ans:

- c) nine

[View All Answers](#)

**Question - 6:**

A link can be viewed as a subset of _____.

- a) generalization
- b) association
- c) both a and b
- d) none

Ans:

- b) association

[View All Answers](#)

Question - 7:

Which doesn't represent a relationship in UML?

- a) Dependency
- b) Generalization
- c) Specification
- d) Realization

Ans:

- c) Specification

[View All Answers](#)

Question - 8:

A _____ diagram emphasizes the structural organization of the objects that send and receive messages.

- A) sequence
- b) activity
- c) use case
- d) collaboration

Ans:

- d) collaboration

[View All Answers](#)

Question - 9:

A constraint extends the _____ of a UML building block.

- a) vocabulary
- b) properties
- c) semantic
- d) definition

Ans:

- c) semantic

[View All Answers](#)

Question - 10:

The _____ view addresses the configuration management of the system's releases.

- a) use case
- b) process
- c) implementation
- d) design

Ans:

- c) implementation

[View All Answers](#)

Question - 11:

A _____ is a general -purpose mechanism for organizing elements into groups.

- a) node
- b) class
- c) package
- d) component

Ans:

- c) package

[View All Answers](#)

Question - 12:

A _____ is a physical or replaceable part of a system that conforms to and provides the realization of set of interfaces.

- a) node
- b) object
- c) interface
- d) component

Ans:



d) component

[View All Answers](#)

Question - 13:

In object-oriented approach, objects are:

- a) Identical
- b) Discrete
- c) Both Identical And Discrete
- d) None

Ans:

- b) Discrete

[View All Answers](#)

Question - 14:

UML is not a language for:

- a) visualization
- b) documentation
- c) simplification
- d) construction

Ans:

- c) simplification

[View All Answers](#)

Question - 15:

A use case diagram is used to model _____ of a system.

- a) structure
- b) behavior
- c) organization
- d) none

Ans:

- b) behavior

[View All Answers](#)

Question - 16:

In a class, a private operation is shown by:

- a) +
- b) #
- c) *
- d) none

Ans:

- d) none

[View All Answers](#)

Question - 17:

A _____ is a contract or an obligation of a class.

- a) constraint
- b) note
- c) responsibility
- d) none

Ans:

- c) responsibility

[View All Answers](#)

Question - 18:

A relationship between use cases and collaboration can be viewed as _____ relationship.

- a) association
- b) generalization
- c) link
- d) realization

Ans:

- d) realization

[View All Answers](#)

Question - 19:

UML stands for:

- a) Universal Modeling Language
- b) Unified Modelling Language



- c) Universal Modelling Language
- d) ununified Modelling Language

Ans:

- b) Unified Modelling Language

[View All Answers](#)

Question - 20:

_____ relationship is used to model an inheritance.

- a) specialization
- b) generalization
- c) dependency
- d) none

Ans:

- b) generalization

[View All Answers](#)

Question - 21:

In the description of a class, a protected operation is shown by:

- a) +
- b) #
- c) -
- d) none

Ans:

- b) #

[View All Answers](#)

Question - 22:

A _____ is a condition or situation during the life of an object during which it satisfies some condition, performs some activity, or waits for some events.

- a) class
- b) state
- c) activity
- d) specification

Ans:

- b) state

[View All Answers](#)

Question - 23:

The _____ view addresses the performance, scalability and throughput of the system.

- a) use case
- b) process
- c) implementation
- d) design

Ans:

- b) process

[View All Answers](#)

Question - 24:

Which is not one of the model of OMT?

- a) dynamic
- b) static
- c) functional
- d) none

Ans:

- c) functional

[View All Answers](#)

Question - 25:

A directed dashed line represents _____ relationship.

- a) message
- b) association
- c) dependency
- d) none

Ans:

- c) dependency

[View All Answers](#)

Question - 26:



A use case view represents _____ aspects of the view.

- a) static
- b) dynamic
- c) both a and b
- d) none

Ans:

- c) both a and b

[View All Answers](#)

Question - 27:

The _____ view addresses the distribution, delivery and installation of the parts that make up of the physical system.

- a) use case
- b) process
- c) implementation
- d) none

Ans:

- d) none

[View All Answers](#)

Question - 28:

A tagged value extends the _____ of a UML building block.

- a) vocabulary
- b) properties
- c) semantic
- d) definition

Ans:

- b) properties

[View All Answers](#)

Question - 29:

An association indicates the relationship between _____.

- a) nodes
- b) classes
- c) interfaces
- d) objects

Ans:

- b) classes

[View All Answers](#)

Question - 30:

A component diagram address the static _____ view of system.

- a) structural
- b) behavioral
- c) implementation
- d) none

Ans:

- c) implementation

[View All Answers](#)

Question - 31:

A class diagram shows relationship between/among:

- a) Classes
- b) Interfaces
- c) Collaborations
- d) all of these

Ans:

- d) all of these

[View All Answers](#)

Question - 32:

A constraint is used to _____ rules of a UML building block.

- a) add
- b) modify
- c) both a and b
- d) none

Ans:

- c) both a and b



[View All Answers](#)

Question - 33:

A dependency is a _____ relationship between two things.

- a) structural
- b) semantic
- c) behavioral
- d) none

Ans:

- b) semantic

[View All Answers](#)

Question - 34:

A _____ allow us to you to create new kind of building blocks derived from existing one.

- a) tagged value
- b) stereotype
- c) interface
- d) class

Ans:

- b) stereotype

[View All Answers](#)

Question - 35:

Which is not one of the characteristic of object orientation?

- a) Abstraction
- b) Encapsulation
- c) Polymorphism
- d) Generalization

Ans:

- d) Generalization

[View All Answers](#)

Question - 36:

A model is not used for:

- a) documentation
- b) visualization
- c) understanding
- d) realization

Ans:

- d) realization

[View All Answers](#)

Question - 37:

A class is used for:

- a) generalization
- b) classification
- c) specification
- d) collection

Ans:

- b) classification

[View All Answers](#)

Question - 38:

Structural things are identified by _____ of UML models.

- a) nouns
- b) classes
- c) objects
- d) entities

Ans:

- a) nouns

[View All Answers](#)

Question - 39:

In a class, a public operation is shown by:

- a) *
- b) #
- c) -



d) none

Ans:

d) none

[View All Answers](#)

Question - 40:

A line with a solid diamond represents _____ relationship.

- a) specialization
- b) generalization
- c) aggregation
- d) composition

Ans:

d) composition

[View All Answers](#)

Question - 41:

A model is a _____ of reality?

- a) classification
- b) simplification
- c) justification
- d) clarification

Ans:

b) simplification

[View All Answers](#)

Question - 42:

A _____ is a physical element that exists at run time and represents a computational resource.

- a) node
- b) object
- c) interface
- d) component

Ans:

a) node

[View All Answers](#)

Question - 43:

Which view doesn't represent a software-intensive system.

- a) class
- b) use case
- c) implementation
- d) deployment

Ans:

a) class

[View All Answers](#)

Question - 44:

A dashed line with hollow arrowhead represents _____ relationship.

- a) realization
- b) association
- c) dependency
- d) generalization

Ans:

a) realization

[View All Answers](#)

Question - 45:

A component diagram shows the organization and _____ among a set of components.

- a) relationships
- b) dependencies
- c) grouping
- d) none

Ans:

b) dependencies

[View All Answers](#)

Question - 46:



An activity diagram reflects flow of _____ among objects.

- a) messages
- b) processes
- c) control
- d) data

Ans:

- b) processes

[View All Answers](#)

Question - 47:

The architecture of a software-intensive system can be described by ____ views.

- a) three
- b) five
- c) nine
- d) none

Ans:

- b) five

[View All Answers](#)

Question - 48:

Which is not an attribute of an object?

- a) behavior
- b) state
- c) time
- d) space

Ans:

- c) time

[View All Answers](#)

Question - 49:

Why does the function arguments are called as signatures?

Ans:

The arguments distinguish functions with the same name (functional polymorphism). The name alone does not necessarily identify a unique function. However, the name and its arguments (signatures) will uniquely identify a function.

In real life we see suppose, in class there are two guys with same name, but they can be easily identified by their signatures. The same concept is applied here.

ex:

```
class person
{
public:
char getsex();
void setsex(char);
void setsex(int);
};
```

In the above example we see that there is a function setsex () with same name but with different signature.

[View All Answers](#)

Question - 50:

Why should project managers complete hard problems first in an OOSAD project?

Ans:

The query actually holds good in general for every situation in life. It is one of the principles of good time management.

The idea is to tackle hard (and important) problems first. This, if resolved - will pep up your confidence to deal with other not so hard issues. Also, this could have cascading effect on other issues that may get resolved on its own.

I would rather stress on "important" than "hard" issues. If a "hard" problem is not coming in the way of your deliverables (means it is not important) - keep it aside. There is no need to spend a lot of time on it.

[View All Answers](#)

Question - 51:

Why is planning too much up front a mistake in an OOSAD?

Ans:

You cant plan only for the current phase of the project as your future activities are still coarse granular. To have good plannig you need to have fine granularity w.r.t the tasks to get clear WBS



[View All Answers](#)

Question - 52:

Can link and Association applied interchangeably?

Ans:

No, You cannot apply the link and Association interchangeably. Since link is used represent the relationship between the two objects. But Association is used represent the relationship between the two classes.

link :: student:Abhilash course:MCA

Association:: student course

[View All Answers](#)

Question - 53:

Differentiate Aggregation and containment?

Ans:

Aggregation is the relationship between the whole and a part. We can add/subtract some properties in the part (slave) side. It won't affect the whole part.

Best example is Car, which contains the wheels and some extra parts. Even though the parts are not there we can call it as car.

But, in the case of containment the whole part is affected when the part within that got affected. The human body is an apt example for this relationship. When the whole body dies the parts (heart etc) are died.

[View All Answers](#)

Question - 54:

Why generalization is very strong?

Ans:

Even though Generalization satisfies Structural, Interface, Behaviour properties. It is mathematically very strong, as it is Antisymmetric and Transitive.

Antisymmetric: employee is a person, but not all persons are employees. Mathematically all As' are B, but all Bs' not A.

Transitive: $A \Rightarrow B, B \Rightarrow C$ then $A \Rightarrow C$.

A. Salesman.

B. Employee.

C. Person.

Note: All the other relationships satisfy all the properties like Structural properties, Interface properties, Behaviour properties.

[View All Answers](#)

Question - 55:

How to represent the interaction between the modeling elements?

Ans:

Model element is just a notation to represent (Graphically) the entities that exist in the problem domain. e.g. for modeling element is class notation, object notation etc.

Relationships are used to represent the interaction between the modeling elements.

The following are the Relationships.

Association: Its' just a semantic connection two classes.

e.g.:

Aggregation: Its' the relationship between two classes which are related in the fashion that master and slave. The master takes full rights than the slave. Since the slave works under the master. It is represented as line with diamond in the master area.

ex:

car contains wheels, etc.

car

Containment: This relationship is applied when the part contained with in the whole part, dies when the whole part dies.

It is represented as darkened diamond at the whole part.

example:

```
class A{
```

```
//some code
```

```
};
```

```
class B
```

```
{
```

```
A aa; // an object of class A;
```

```
// some code for class B;
```

```
};
```

In the above example we see that an object of class A is instantiated with in the class B. so the object class A dies when the object class B dies. we can represent it in diagram like this.

Generalization: This relationship used when we want represents a class, which captures the common states of objects of different classes. It is represented as arrow line pointed at the class, which has captured the common states.

Dependency: It is the relationship between dependent and independent classes. Any change in the independent class will affect the states of t

[View All Answers](#)

Question - 56:

What do you meant by static and dynamic modeling?

Ans:

Static modeling is used to specify structure of the objects that exist in the problem domain. These are expressed using class, object and USECASE diagrams.

But Dynamic modeling refers representing the object interactions during runtime. It is represented by sequence, activity, collaboration and statechart diagrams.

[View All Answers](#)

**Question - 57:**

What are models and meta models?

Ans:

Model:

It is a complete description of something (i.e. system).

Meta model:

It describes the model elements, syntax and semantics of the notation that allows their manipulation.

[View All Answers](#)

Question - 58:

Differentiate persistent & non-persistent objects?

Ans:

Persistent refers to an object's ability to transcend time or space. A persistent object stores/saves its state in a permanent storage system without losing the information represented by the object.

A non-persistent object is said to be transient or ephemeral. By default objects are considered as non-persistent.

[View All Answers](#)

Question - 59:

What do you mean by SBI of an object?

Ans:

SBI stands for State, Behavior and Identity. Since every object has the above three.

State:

It is just a value to the attribute of an object at a particular time.

Behaviour:

It describes the actions and their reactions of that object.

Identity:

An object has an identity that characterizes its own existence. The identity makes it possible to distinguish any object in an unambiguous way, and independently from its state.

[View All Answers](#)

Question - 60:

What are the main underlying concepts of object orientation?

Ans:

Objects, messages, class, inheritance and polymorphism are the main concepts of object orientation.

[View All Answers](#)

Question - 61:

What are the steps involved in designing?

Ans:

Before getting into the design the designer should go through the SRS prepared by the System Analyst.

The main tasks of design are Architectural Design and Detailed Design.

In Architectural Design we find what are the main modules in the problem domain.

In Detailed Design we find what should be done within each module.

[View All Answers](#)

Question - 62:

What do you mean by analysis and design?

Ans:

Analysis:

Basically, it is the process of determining what needs to be done before how it should be done. In order to accomplish this, the developer refers to the existing systems and documents. So, simply it is an art of discovery.

Design:

It is the process of adopting/choosing the one among the many, which best accomplishes the user's needs. So, simply, it is a compromising mechanism.

[View All Answers](#)

Applications Programs Most Popular & Related Interview Guides

- 1 : [AutoCAD Interview Questions and Answers.](#)
- 2 : [Microsoft Office Interview Questions and Answers.](#)
- 3 : [Microsoft Outlook Interview Questions and Answers.](#)
- 4 : [Microsoft Excel Interview Questions and Answers.](#)
- 5 : [MATLAB Interview Questions and Answers.](#)
- 6 : [WPF Interview Questions and Answers.](#)
- 7 : [Quickbook Interview Questions and Answers.](#)
- 8 : [Microsoft Word Interview Questions and Answers.](#)
- 9 : [Bioinformatics Interview Questions and Answers.](#)
- 10 : [Microsoft Access Interview Questions and Answers.](#)

Follow us on FaceBook

www.facebook.com/InterviewQuestionsAnswers.Org

Follow us on Twitter

<https://twitter.com/InterviewQA>

For any inquiry please do not hesitate to contact us.

Interview Questions Answers.ORG Team

[https://InterviewQuestionsAnswers.ORG/
support@InterviewQuestionsAnswers.ORG](https://InterviewQuestionsAnswers.ORG/support@InterviewQuestionsAnswers.ORG)