

Interview Questions Answers

https://interviewquestionsanswers.org/

About Interview Questions Answers

Interview Questions Answers . ORG is an interview preparation guide of thousands of Job Interview Questions And Answers, Job Interviews are always stressful even for job seekers who have gone on countless interviews. The best way to reduce the stress is to be prepared for your job interview. Take the time to review the standard interview questions you will most likely be asked. These interview questions and answers on Database Administration will help you strengthen your technical skills, prepare for the interviews and quickly revise the concepts.

If you find any **question or answer** is incorrect or incomplete then you can **submit your question or answer** directly with out any registration or login at our website. You just need to visit <u>Database Administration Interview Questions And Answers</u> to add your answer click on the *Submit Your Answer* links on the website; with each question to post your answer, if you want to ask any question then you will have a link *Submit Your Question*; that's will add your question in Database Administration category. To ensure quality, each submission is checked by our team, before it becomes live. This <u>Database Administration Interview preparation PDF</u> was generated at **Wednesday 29th November, 2023**

You can follow us on FaceBook for latest Jobs, Updates and other interviews material. www.facebook.com/InterviewQuestionsAnswers.Org

Follow us on Twitter for latest Jobs and interview preparation guides. https://twitter.com/InterviewQA

If you need any further assistance or have queries regarding this document or its material or any of other inquiry, please do not hesitate to contact us.

Best Of Luck.

Interview Questions Answers.ORG Team https://InterviewQuestionsAnswers.ORG/ Support@InterviewQuestionsAnswers.ORG

Question - 1:

Explain Can we decrease the Datafile size?

Ans:

Yes we can decrease the size of the datafile to the place where the extents are deallocated in to it by resizing the datafiles to something smaller than current. If the data in the datafile is scattered than reorg the object in the tablespace to deallocate the extent and decrease the filesize

We can reduce the size of the datafile till the high watermark of the datafile. IF we have to bring down the high watermark then we have to check the extents in the file and reorganize objects as required.

View All Answers

Question - 2:

Explain What is a database instance?

Ans:

A database instance (Server) is a set of memory structure and background processes that access a set of database files.

The process can be shared by all users.

The memory structure that are used to store most queried data from database. This helps up to improve database performance by decreasing the amount of I/O performed against data file.

View All Answers

Question - 3:

What are the types of synonyms in Oracle?

Ans:

A synonym is an alternative name for objects such as tables, views, sequences, stored procedures, and other database objects.

A synonym (synonym-name) is an alias for an object (such as a table). The object does not need to exist at the time of its creation. Synonyms can't be used in a drop and truncate statements. If this is tried, it results in a ORA-00942: table or view does not exist

The syntax for creating a synonym is:

create [or replace] [public] synonym [schema .] synonym_name

for [schema .] object_name [@ dblink];

The or replace phrase allows you to recreate the synonym (if it already exists) without having to issue a DROP synonym command.

The public phrase means that the synonym is a public synonym and is accessible to all users. Remember though that the user must first have the appropriate privileges to the object to use the synonym.

The schema phrase is the appropriate schema. If this phrase is omitted, Oracle assumes that you are referring to your own schema.

The object_name phrase is the name of the object for which you are creating the synonym. It can be one of the following:

table package

view materialized view

sequence java class schema object

stored procedure user-defined object

function synonym

Type of Synonym are:-

Public (Accessible to all)

Private (Accessible to owner)

View All Answers

Question - 4:

What is Parallel Server in Oracle?

Ans:

Multiple instances accessing the same database (Only In Multi-CPU environments)

View All Answers



Question - 5:

Explain some built-in functions that can be used in SQL queries?

Ans:

Character functions analyze and modify the contents of CHAR and VARCHAR2 string variables.

Numeric functions are a full range of operations that manipulate numbers, including trigonometric, logarithmic, and exponential functions.

Date functions are utilities that allow programmers to perform high-level actions on date variables, including date arithmetic.

Conversion functions convert from one datatype to another, often formatting the output data at the same time.

LOB functions allow operations on LOB (large object) data.

Miscellaneous functions perform operations that don't fall into any of the other categories.

Example of built in functions:

- 1. to_date a convertion function that will convert a string date to a date datatype
- 2. sum a group function that will return the summation of all values in the column
- 3. upper a single row function that will return all characters in a column in upper case

View All Answers

Question - 6:

What is uses of rollback segment?

Ans:

The use of RollBack Segment is Database is - to maintain read consistency between multiple transactions.

Rollback segments are the areas in your database which are used to temporarily save the previous values when some updates (by 'updates', inserts or deletes as well) or any other transactions going on.

View All Answers

Question - 7:

Explain What is a deadlock?

Ans

Two processes wating to update the rows of a table which are locked by the other process then deadlock arises. In a database environment this will often happen because of not issuing proper row lock commands. Poor design of front-end application may cause this situation and the performance of server will reduce drastically. These locks will be released automatically when a commit/rollback operation performed or any one of this processes being killed externally.

Deadlock is a kind of situation, which occured in a network of database environment while multiple processes is waiting for their completion, whereas some other process is still running till the time we use the rollback or commit commands or stopped the blocked process by database systems program itself.

View All Answers

Question - 8:

Explain What does a control file contains?

Ans:

information about the database,redologfile and datafile,archivelog file location and current scn no and redo log file

- 1. Database name and identifier.
- 2. Time stamp of database creation.
- 3. Tablespace names.
- Backup information.
- Checkpoint information.
- 6. Current online redo log file sequence numbe

View All Answers

Question - 9:

Explain What are the different types of segments?

Ans:

temp segment,

data segment,

table segment, index segment

View All Answers

Question - 10:

Explain Do a view contain data?

Ans

A view does not contain any data of its own, but is like a window through which data from other tables can be viewed and changed.

View All Answers

Question - 11:

Explain How do we handle exceptions / errors in stored procedures?

Ane:

Exceptions can be handled in various ways in the stored procedures. Method (1) could be using EXCEPTION block in the procedure within which use WHEN <exceptionname> THEN. Method (2) could be declare a variable in DECLARE section as EXCEPTION type, raise it wherever required using RAISE <exception variable name> and handle it in EXCEPTION part using WHEN clause. Method (3) could be using the keywords SQLCODE & SQLERRM to display error no and



error code..

View All Answers

Question - 12:

Explain What rule optimizations are possible in SQL query tuning?

Ans:

FIRST_ROWS LAST_ROWS FIRST_ROWS_10 FIRST_ROWS_100 FIRST_ROWS_1000 ALL_ROWS

View All Answers

Question - 13:

Explain What is ORA-1555?

Ans:

its called snap shot too old error.

it comes if a user is updates a table with loop option, in another session an user to see the info(select) then its shows ora-1555 error

View All Answers

Question - 14:

Explain What are the basic element of base configuration of an Oracle database?

Ans:

It consists of one or more data files. one or more control files. two or more redo log files. The Database contains multiple users/schemas one or more rollback segments one or more tablespaces Data dictionary tables

User objects (table,indexes,views etc.,)

The server that access the database consists of

SGA (Database buffer, Dictionary Cache Buffers, Redo log buffers, Shared SQL pool)

SMON (System MONito) PMON (Process MONitor) LGWR (LoG Write)

DBWR (Data Base Write)

ARCH (ARCHiver)

CKPT (Check Point)

CKPT (Check RECO

Dispatcher

User Process with associated PGS

View All Answers

Question - 15:

What is the difference between indexes, views, synonyms?

Ans:

An index is a method of allowing faster retrieval of records.

A view is an virtual table formed using a single table or one or more tables.

A synonym is an alternative name for objects such as tables, views, sequences, stored procedures, and other database objects

View All Answers

Question - 16:

Tell us Do you need a commit after DDL statements?

Ans:

DDL commands are auto committed commands, after DDL job execution no need to commit again

View All Answers

Question - 17:

Explain What is index cluster?

Ans:

An index cluster uses an index to maintain data within the cluster. The structure of a cluster index is similar to a normal index.

Although a normal index does not store NULL key values, and index cluster can store it.

And, a cluster index is likely to be smaller than a normal index because, there is only one entry for each key value in the cluster index, even if that is repeating.



View All Answers

Question - 18:

Explain What is a tablespace?

An Oracle database consists of one or more logical storage units called tablespaces, which collectivley store all of the database's data.

Each tablespace in an ORACLE database consists of one or more files called datafiles, which are physical structures that conform with the operating system in which Oracle is running.

For Example::: A simple Oracle Database have one tablespace and one datafile.

View All Answers

Question - 19:

Explain What is hash cluster?

This is an alternate to index, as index fast retrieve rows from single column, same way hash cluster fast retrieve rows from group of table and reduce i/o.

View All Answers

Question - 20:

Explain What is a cursor? Why do you need them? What are the different kinds of cursor?

Ans:

oracle uses private sql area to execute sql queries and store the information.pl/sql uses cursors to name these private sql area and access its stored information there r two types of cursors

implicit

explicit

implicit cursors are used for all dml and single row queries.these are system defined

explicit cursors are used for queries which return multiple row .these are user defined.

View All Answers

Question - 21:

Explain What is an extent?

An Extent is a collection of contagious blocks the second level of granuality of the storage in database is called extent it is defined as the collection of contagious datablocks.

View All Answers

Question - 22:

Explain What is an Oracle sequence?

A sequence is a database object created by a user that can be used to generate unique integers. A typical usage of sequences is to generate primary key values which are unique for each row.

It is generated and incremented (or decremented) by an internal Oracle routine. It can be used by multiple users and for multiple tables too. A sequence can be used instead of writing an application code for sequence-generating routine.

View All Answers

Question - 23:

Explain When can hash cluster used?

Hash clusters are useful in cases where:

- (i) There is a uniform, even and predictable no. of key values.
- (ii) Queries using equality predicates.
- (iii) The table is NOT growing constantly, and the keys are rarely updated.

View All Answers

Question - 24:

Explain Different types of table join?

different types of joins are

- -Cartesian Product or Cross Join
- -Inner Join
- -Equi Join or Natural Join
- -Non Equi Join
- -Self Join
- -Outer Join -Left Outer Join
- -Right Outer Join
- -Full Outer Join



View All Answers

Question - 25:

Explain What is a lookup table in database? where can we use these type of table?

Lookup tables are like constraints which hold a value. The content in the lookup tables dosen't change often, hence refered as lookup (reference). Example : Countries table

Countries are not added on regular bases hence one can consider the table as a lookup table. As and when needed in some other table the countries information can be fetched base on PK - Country-Code column. Eg - Emp_Per_Info.

View All Answers

Question - 26:

Explain database clusters?

hey share. Group of tables physically stored together because they share common columns and are often used together is called Cluster.

View All Answers

Databases Programming Most Popular & Related Interview Guides

- 1 : <u>RDBMS Interview Questions and Answers.</u>
- 2: SQL Interview Questions and Answers.
- 3: SSRS Interview Questions and Answers.
- 4: Sybase Interview Questions and Answers.
- 5: <u>Database Administrator (DBA) Interview Questions and Answers.</u>
- **6 : Teradata Interview Questions and Answers.**
- 7: PostgreSQL Interview Questions and Answers.
- 8: MongoDB Interview Questions and Answers.
- 9: MS SQL Server Interview Questions and Answers.
- 10: IBM DB2 Interview Questions and Answers.

Follow us on FaceBook www.facebook.com/InterviewQuestionsAnswers.Org

Follow us on Twitter https://twitter.com/InterviewQA

For any inquiry please do not hesitate to contact us.

Interview Questions Answers.ORG Team https://InterviewQuestionsAnswers.ORG/ support@InterviewQuestionsAnswers.ORG