VxWorks Job Interview Questions And Answers



Interview Questions Answers

https://interviewquestionsanswers.org/

About Interview Questions Answers

Interview Questions Answers . ORG is an interview preparation guide of thousands of Job Interview Questions And Answers, Job Interviews are always stressful even for job seekers who have gone on countless interviews. The best way to reduce the stress is to be prepared for your job interview. Take the time to review the standard interview questions you will most likely be asked. These interview questions and answers on VxWorks will help you strengthen your technical skills, prepare for the interviews and quickly revise the concepts.

If you find any **question or answer** is incorrect or incomplete then you can **submit your question or answer** directly with out any registration or login at our website. You just need to visit <u>VxWorks</u> <u>Interview Questions And Answers</u> to add your answer click on the *Submit Your Answer* links on the website; with each question to post your answer, if you want to ask any question then you will have a link *Submit Your Question*; that's will add your question in VxWorks category. To ensure quality, each submission is checked by our team, before it becomes live. This <u>VxWorks Interview preparation</u> PDF was generated at **Wednesday 29th November, 2023**

You can follow us on FaceBook for latest Jobs, Updates and other interviews material. www.facebook.com/InterviewQuestionsAnswers.Org

Follow us on Twitter for latest Jobs and interview preparation guides. https://twitter.com/InterviewQA

If you need any further assistance or have queries regarding this document or its material or any of other inquiry, please do not hesitate to contact us.

Best Of Luck.

Interview Questions Answers.ORG Team https://InterviewQuestionsAnswers.ORG/ Support@InterviewQuestionsAnswers.ORG

VxWorks Interview Questions And Answers Guide.

Question - 1:

What is priority inversion?

Ans:

Priority inversion is a situation where in lower priority tasks will run blocking higher priority tasks waiting for resource (mutex). For ex: consider 3 tasks. A, B and C, A being highest priority task and C is lowest. Look at sequence of context swaps

A goes for I/O . unlocks mutex. C was ready to run. So C starts running. locks mutex B is ready to run. Swaps out C and takes mutex. A is ready to run. but A is blocked as mutex is locked by B. but B will never relinqishes the mutex as its higher priority than C.

The solution to priority inversion is Priority inheritance.

View All Answers

Question - 2:

What are the various methods to overcome it?

Ans:

Priority Inheritance is the solution for priority inversion. whenever a high priority task request for some resource which is locked by a low priority task, the priority of lower task is inherited to the priority of the higher task. The instance it unlocks the resource the prioity is changed to its original value. Another solution for this is priority ceiling where you inherit the priority of the lower task whenever a higher task is created. Even if the higher priority task doesnot request for the resource

View All Answers

Question - 3:

What is another for creating a task without using taskspawn?

Ans

Instead of taskspawn taskInit and taskActivate can be used to create task. taskInit->It will initialize the task at specified address taskActivate->It will activate the initialised task

View All Answers

Question - 4:

Which RTOS supports Non-Preemptive scheduling? Why other scheduling methods are supported by such Oses?

Δns:

The standard UNIX kernel is a nonpreemptive kernel; it does not allow a user process to preempt a process executing in kernel mode. Once a running process issues a system call and enters kernel mode, preemptive context switches are disabled until the system call is completed. Although there are context switches, a system call may take an arbitrarily long time to execute without voluntarily giving up the processor. During that time, the process that made the system call may

delay the execution of a higher-priority, runnable, realtime process.

The maximum process preemption latency for a nonpreemptive kernel is the maximum amount of time it can take for the running, kernel-mode process to switch out of kernel mode back into user mode and then be preempted by a higher-priority process. Under these conditions it is not unusual for worst-case preemption to take seconds, which is clearly unacceptable for many realtime applications.

View All Answers

Question - 5:

What do you mean by Semaphore and when we will go for using this?

Ans:

semaphore is used to avoid the effect of dead lock. there are three types of semaphore.

1) binary semaphore->it is only to acquire and release the semaphore.zero is used for unavailabel and one is used for available.

2) counting semaphore->when semaphore is acquired counter is incremented and when semaphore is released conter is decremented.when counter is zero it is goes to blocked state.

3) mutual exclusion->it is same as binary semaphore.but it is used for safty purpose.it is two state locked state and unlocked state. when semaphore is acquired it is goes to locked state and when semaphore is released it goes to unlocked state.

View All Answers

Question - 6:

Suppose there is a global variable & a static global variable.Both gets memory allocated from the data segment. Then how does the visibility of static global varible gets limited to the file alone (in which it gets declared)

Ans:

Static variables are local in scope to their module in which they are defined, but life is throughout the program. Say for a static variable inside a function cannot be called from outside the function (because it's not in scope) but is alive and exists in memory. The next time this function is entered (within the same program) the same chunk of memory would be accessed now retaining the variables old value and no new memory is allocated this time for this variable like other variables in the function (automatic variables). So basically the variable persists throughout the program. Similarly if a static variable is defined in a global space (say at beginning of file) then this variable will be accessible only in this file (file scope).

View All Answers

Question - 7:

Write a code to connect Hardware interrupt to ISR and explain?

Ans:

```
In Keil
void serial_ISR() interrupt 4 using 0
{
}
& in AVR studio
SIGNAL(Inteerupt_no)
{
}
```

hardware interupt normally redirects the uC to predefined addresses. In case of high end processors the interrupt table will decide the interrupt vector address and whenever interrupt pin goes low, the table is searched for type and source of interrupt.

View All Answers

Question - 8:

Explain task spawn in vxworks?

Ans

The VxWorks multitasking kernel, wind, uses interrupt-driven, priority-based task scheduling. It features fast context switch times and low interrupt latency. Under VxWorks, any subroutine can be spawned as a separate task, with its own context and stack. Other basic task control facilities allow tasks to be suspended, resumed,

, distance.

Alexandria

Alexa deleted, delayed, and moved in priority.

View All Answers

Operating System Most Popular & Related Interview Guides

- 1: RTOS Interview Questions and Answers.
- 2: Windows 7 Interview Questions and Answers.
- 3: MAC Operating System Interview Questions and Answers.
- 4: <u>Disk Operating System (DOS) Interview Questions and Answers.</u>
- 5: Shell Scripting Interview Questions and Answers.
- **6 : Operating System (OS) Interview Questions and Answers.**
- 7: Solaris Interview Questions and Answers.
- 8: Solaris Admin Interview Questions and Answers.
- 9: OS Memory Management Interview Questions and Answers.
- 10: Windows Interview Questions and Answers.

Follow us on FaceBook www.facebook.com/InterviewQuestionsAnswers.Org

Follow us on Twitter https://twitter.com/InterviewQA

For any inquiry please do not hesitate to contact us.

Interview Questions Answers.ORG Team https://InterviewQuestionsAnswers.ORG/ support@InterviewQuestionsAnswers.ORG